## GOVERNMENT OF TELANGANA COVID INTERIM TEST REPORT

## Dept of Lab Medicine, Star Hospitals RT-PCR/TRUNAT/CB-NAT

Date and time of reporting	03-03-2021 10:28:15				
Name of the testing Facility/Hospital	UNIMED HEALTHCARE PVT- LTD STAR HOSPITALS				
SPECIMENT DETAILS					
Date of onset of illness					
Date of sample collection	03-03-2021				
Date of receipt of specimen	03-03-2021				
REPORTING DETAILS					
Sample ID	S560500157897324				

S.No	Patient Name	Age	Gender	Mobile No	Specimen Type	Date of Sample Testing	Result Status
1	GIRIJA MOHITE	28	Female	9985544440	Nasopharyngeal swab / Oropharyngeal swab	03-03-2021	Negative

Authorized Officer: Dr.K.S.Vaisakhi
(Consultant Microbiology & Molecular Testing/Infection
Control Officer & Quality Head.)

## Signature of Authorized Officer

Note: The results relate only to the specimen tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definitions.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe
  or progressive disease. The repeat specimens may be considered after a gap of 2 to

- 4 days after the collection of the first specimen for additional testing if required.
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of confections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director Public Health

\*\* This is a system generated Test Report \*\*